

PROFESSIONAL POWER



BRUSHCUTTERS | WALK BEHIND MOWERS | HEDGETRIMMER | HANDHELD BLOWER

KUBOTA LAWN CARE RANGE

KUBOTA.COM.AU

For Earth, For Life
Kubota

WALK BEHIND MOWERS



Model		W821SC	W821S	W819P
Engine	Model	HONDA GXV160	HONDA GXV160	SUBARU EA190V
	Engine Type	Air-cooled, 4-cycle OHV, Single-cylinder	Air-cooled, 4-cycle OHV, Single-cylinder	Air-cooled, 4-cycle OHV, Single-cylinder
	Displacement	163cm ³	163cm ³	189cm ³
	Max.output	3.2kw/3,600rpm	3.2kw/3,600rpm	4.1kw/3,600rpm
	Fuel Tank Capacity	1.8L	1.8L	1.2L
	Starting Method	Recoil method	Recoil method	Recoil method
	Drive System	Self-Propelled	Self-Propelled	Push
Dimensions	Outside Dimensions (LxWxH mm)	1,830x580x1,270	1,810x580x1,260	1,710x515x1,120
	Dry Weight	62kg	53kg	41kg
Mower	Mowing Speed	Low speed:1.0m/sec, High speed:1.4m/sec	Low speed:0.8m/sec, High speed:1.2m/sec	-
	Wheel Diameter	244mm Aluminum Wheel	203mm Resin Wheel	203mm Resin Wheel
	Grass Bag Capacity	75L	75L	70L
	Mowing Width	530mm	530mm	480mm
	Mowing Height	22,32,42,52,62,72,82mm	15,26,37,47,57,67,77mm	15,26,37,47,57,67,77mm
	Deck Material	Reinforced Cast Aluminum	Reinforced Cast Aluminum	Reinforced Cast Aluminum
	Blade Engagement	BBC(Blade Brake Clutch)	BBC(Blade Brake Clutch)	Engine Blake
Options	Side deflector, Mulch Cutting Kit	Side deflector, Mulch Cutting Kit	-	

W821SC

Premium Professional Self Propelled Mower

- Heavy duty aluminium die-cast deck with reinforcement for excellent durability
- Shaft drive rear wheel transmission that greatly reduces maintenance work compared to belt-driven mowers
- Shaft-mounted shock absorber reduces slippages
- Blade brake clutch stops blades quickly for added safety, and allows emptying of 75L grass bag safely, without stopping the engine
- Equipped with 244mm large aluminium wheels with ball bearings for high manoeuvrability and corrosion resistance, resulting in high performance in any conditions
- A front bumper comes standard to protect the deck from impact
- 4 blades are standard for fine cutting
- Handles are reinforced for long life

W821S

Semi-Professional Self Propelled Mower

- Heavy duty aluminium die-cast deck with reinforcement for excellent durability
- Shaft drive rear wheel transmission that greatly reduces maintenance work compared to belt-driven mowers
- Shaft-mounted shock absorber reduces slippages
- Blade brake clutch stops blades quickly for added safety, and allows emptying of 75L grass bag safely, without stopping the engine
- 4 blades are standard for fine cutting

W819P

Premium Residential Walk Behind Mower

- Heavy duty aluminium die-cast deck with reinforcement for excellent durability
- 4 blades are standard for fine cutting
- Lightweight yet durable, ideal for the home owner

BRUSHCUTTERS



Designed for both home owners and contractors alike, Kubota's Brushcutter range is built to handle a variety of tough residential and commercial jobs. Powered by reliable 2 stroke engines, that keep on going, and designed with comfort and safety in mind, the heavy duty, straight shaft models cushion vibrations, for increased operator comfort. Single or double handle models available, plus additional attachments to suit every application and operator.

Model	KBC26-RS	KBC26H-RS	KBC30H-RS
Engine Type	2-Stroke	2-Stroke	2-Stroke
Displacement	25.4CC	25.4CC	30.2CC
Max Output	0.83kw	0.83kw	1kw
Handle	Single	Double	Double
Tube Diameter	24mm	24mm	24mm
Anti-vibration	Standard Equipment on Handlebar & Motor		
Weight	5.8kg	6.2kg	6.1kg
Accessories	230mm 4 Teeth Blade		255mm 3 Teeth Blade
	Harness Strap		
	Tap and Go Nylon Head		

For Earth, For Life
Kubota

HANDHELD BLOWER

KBL31

Robust and powerful, Kubota's handheld blower is designed to optimise your productivity. The KBL31 is powerful enough for professional users, for clearing dead leaves, cut grass or other waste. Being lightweight and simple to use also makes the handheld blower perfect for jobs around the house.

Model	KBL31
Engine Type	2-Stroke
Displacement	30.1CC
Max Output	1KW
Max Airflow	780m ³ /H
Air Speed	73M/S
Weight	4.3KG



HEDGETRIMMER

KHT23D

Well balanced, robust and reliable in design, Kubota's 2-stroke hedgetrimmer provides an impeccability cut clean with every pass to meet the needs of professionals and home owners alike.

Model	KHT23D
Engine Type	2-Stroke
Displacement	22.5CC
Max Output	0.77KW
Handle	180-Degree Swivel Handle with 5 Positions
Blade	600mm blade length, 2.5mm blade thickness
Weight	5.4KG



For more information please contact:

AUSTRALIA

Kubota Australia
25 - 29 Permas Way, Truganina,
Victoria, 3029 Australia
Freecall: 1800 334 653
kubota.com.au

NEW ZEALAND

Kubota New Zealand
Freecall: 0800 -582-682
Email: sales@kubota.com.au
kubota.co.nz

For Earth, For Life
Kubota